Amendments to the Claims

This claim set replaces all previous claims in this application.

1. (Original) A pharmaceutical composition which comprises a pharmaceutically acceptable carrier or diluent and:

(a) an inhibitor of the RSV fusion protein; and

(b) a benzodiazepine derivative capable of inhibiting RSV replication.

2. (Previously presented) A composition according to claim 1, wherein component (b) is a compound of formula (V), or a pharmaceutically acceptable salt thereof,



(V)

wherein:

R^1 represents C_{1-6} alkyl, aryl or heteroaryl;

R^2 represents hydrogen or C_{1-6} alkyl;

each R^3 is the same or different and represents halogen, hydroxy, C_{1-6} alkyl, C_{1-6} alkoxy, C_{1-6} alkylthio, C_{1-6} haloalkyl, C_{1-6} haloalkoxy, amino, mono(C_{1-6} alkyl)amino, di(C_{1-6} alkyl)amino, nitro, cyano, $-CO_2R'$, -CONR'R'', -NH-CO-R', $-S(O)R'$, $-S(O)_2R'$, $-NH-S(O)_2R'$, -S(O)NR'R" or $-S(O)_2NR'R"$, wherein each R' and R" is the same or different and represents hydrogen or C_{1-6} alkyl;

n is from 0 to 3;

R^4 represents hydrogen or C_{1-6} alkyl;

R^5 represents C_{1-6} alkyl, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl-(C_{1-6} alkyl)-, heteroaryl-(C_{1-6} alkyl)-, carbocyclyl-(C_{1-6} alkyl)-, heterocyclyl-(C_{1-6} alkyl)-, aryl-(C_{1-6} hydroxyalkyl)-, heteroaryl-(C_{1-6} hydroxyalkyl)-, carbocyclyl-(C_{1-6} hydroxyalkyl)-, heterocyclyl-(C_{1-6} hydroxyalkyl)-, aryl-C(O)-C(O)-, heteroaryl-C(O)-C(O)-, carbocyclyl-C(O)-C(O)-, heterocyclyl-C(O)-C(O)- or $-XR^6$;

X represents -CO-, -S(O)- or -$S(O)_2$-; and

R^6 represents C_{1-6} alkyl, hydroxy, C_{1-6} alkoxy, C_{1-6} alkylthio, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl-(C_{1-6} alkyl)-, heteroaryl-(C_{1-6} alkyl)-, carbocyclyl-(C_{1-6} alkyl)-, heterocyclyl-(C_{1-6} alkyl)-, aryl-(C_{1-6} alkyl)-O-, heteroaryl-(C_{1-6} alkyl)-O-, carbocyclyl-(C_{1-6} alkyl)-O-, heterocyclyl-(C_{1-6} alkyl)-O- or -NR'R" wherein each R' and R" is the same or different and represents hydrogen, C_{1-6} alkyl, carbocyclyl, heterocyclyl, aryl, heteroaryl, aryl-(C_{1-6} alkyl)-, heteroaryl-(C_{1-6} alkyl)-, carbocyclyl-(C_{1-6} alkyl)- or heterocyclyl-(C_{1-6} alkyl)-.

3. (Original) A composition according to claim 2 wherein:

each R^3 is the same or different and represents halogen, hydroxy, C_{1-6} alkyl, C_{1-6} alkoxy, C_{1-6} alkylthio, C_{1-6} haloalkyl, C_{1-6} haloalkoxy, amino, mono(C_{1-6} alkyl)amino, di(C_{1-6} alkyl)amino, nitro, cyano, -CO_2R', -CONR'R", -NH-CO-R', -S(O)R', -$S(O)_2$R', -NH-$S(O)_2$R' or -S(O)NR'R", wherein each R' and R" is the same or different and represents hydrogen or C_{1-6} alkyl ;

R represents C_{1-6} alkyl, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl-(C_{1-6} alkyl)-, heteroaryl-(C_{1-6} alkyl)-, carbocyclyl-(C_{1-6} alkyl)-, heterocyclyl-(C_{1-6} alkyl)- or -XR^6;

X represents -CO-, -S(O)- or -$S(O)_2$-; and

R^6 represents C_{1-6} alkyl, hydroxy, C_{1-6} alkoxy, C_{1-6} alkylthio, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl-(C_{1-6} alkyl)-, heteroaryl-(C_{1-6} alkyl)-, carbocyclyl-(C_{1-6} alkyl)-, heterocyclyl-(C_{1-6} alkyl)- or -NR'R" wherein each R' and R" is the same or different and represents hydrogen, C_{1-6} alkyl, carbocyclyl, heterocyclyl, aryl, heteroaryl, aryl-(C_{1-6} alkyl)- or heteroaryl-(C_{1-6} alkyl)-.

4. (Previously presented) A composition according to claim 2, wherein R^1 is C_{1-2} alkyl or aryl.

5. (Previously presented) A composition according to claim 2 wherein R^2 is hydrogen.

6. (Previously presented) A composition according to claim 2 wherein R^3 is halogen, hydroxy, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} alkylthio, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, amino, mono(C_{1-4} alkyl)amino or di(C_{1-4} alkyl)amino.

7. (Original) A composition according to claim 6, wherein R^3 is fluorine, chlorine, bromine, C_{1-2} alkyl, C_{1-2} alkoxy, C_{1-2} alkylthio, C_{1-2} haloalkyl, C_{1-2} haloalkoxy, amino, mono(C_{1-2} alkyl)amino or di (C_{1-2} alkyl)amino.

8. (Previously presented) A composition according to claim 2 wherein R^4 is hydrogen or C_{1-2} alkyl.

9. (Previously presented) A composition according to claim 2 wherein R^5 is C_{1-6} alkyl, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl-(C_{1-4} alkyl)-, heteroaryl-(C_{1-4} alkyl)-, carbocyclyl-(C_{1-4} alkyl)-, heterocyclyl- C_{1-4} alkyl)-, aryl-C(O)-C(O)-, heteroaryl-C(O)-C(O)- or -XR^6.

10. (Original) A composition according to claim 9, wherein R^5 is C_{1-4} alkyl, aryl, heteroaryl, carbocyclyl, heterocyclyl, phenyl-(C_{1-2} alkyl)-, heteroaryl-(C_{1-2} alkyl)-, phenyl-C(O)-C(O)-, heteroaryl-C(O)-C(O)- or -XR^6.

11. (Original) A composition according to claim 10, wherein R^5 is C_{1-4} alkyl, phenyl, thienyl, furanyl, isoxazolyl, pyridyl, cyclopentyl, cyclohexyl, benzothienyl, dihydrobenzofuranyl, phenyl-CH_2-, furanyl-CH_2-, phenyl-C(O)-C(O)-, thienyl-C(O)-C(O)- or -XR^6.

12. (Previously presented) A composition according to claim 2 wherein, X is -CO- or -$S(O)_2$-.

13. (Previously presented) A composition according to claim 2 wherein, when R^6 is a group NR'R" wherein each R' and R" is the same or different and represents hydrogen, C_{1-4} alkyl, aryl, carbocyclyl, heterocyclyl, aryl-(C_{1-4} alkyl)- or heteroaryl-(C_{1-4} alkyl)-.

14. (Original) A composition according to claim 13, wherein when R^6 is a group –NR'R" each R' and R" is the same or different and represents hydrogen, C_{1-4} alkyl, phenyl, thienyl, cyclohexyl, cyclopentyl or phenyl-CH_2-.

15. (Original) A composition according to claim 14, wherein when R^6 is a group –NR'R" and one of R' and R" is hydrogen.

16. (Previously presented) A composition according to claim 2 wherein R^6 is C_{1-6} alkyl, hydroxy, C_{1-6} alkoxy, C_{1-6} alkylthio, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl-(C_{1-4} alkyl)-, heteroaryl-(C_{1-4} alkyl)-, carbocyclyl-(C_{1-4} alkyl)-, heterocyclyl-(C_{1-4} alkyl)-, aryl-(C_{1-4} hydroxyalkyl)-, heteroaryl-(C_{1-4} hydroxyalkyl)-, carbocyclyl-(C_{1-4} hydroxyalkyl)-, heterocyclyl-(C_{1-4} hydroxyalkyl)-, aryl-(C_{1-4} alkyl)-O-, heteroaryl-(C_{1-4} alkyl)-O-, carbocyclyl-(C_{1-4} alkyl)-O-, heterocyclyl-(C_{1-4} alkyl)-O- or –NR'R".

17. (Original) A composition according to claim 16, wherein R^6 is C_{1-6} alkyl, C_{1-6} alkoxy, C_{1-6} alkylthio, aryl, heteroaryl, carbocyclyl, heterocycly, phenyl-(C_{1-2} alkyl)-, phenyl-(C_{1-2} alkyl)-O-, heteroaryl-(C_{1-2} alkyl)-, phenyl-(C_{1-2} hydroxyalkyl)-, heteroaryl-(C_{1-2} hydroxyalkyl)- or -NR'R".

18. (Original) A composition according to claim 17, wherein R^6 is C_{1-4} alkyl, C_{1-4} alkoxy, phenyl, naphthyl, dihydrobenzofuranyl, benzodioxinyl, 9H-fluoren-9-onyl, indolyl, thienyl, furanyl, oxazolyl, isoxazolyl, pyrazolyl, pyridyl, benzothienyl, benzofuranyl, cyclopentyl, cyclohexyl, piperazinyl, piperidinyl, morpholinyl, phenyl-(C_{1-2} alkyl)-, phenyl-CH_2-CH(OH)-, phenyl-CH(OH)-CH_2-, phenyl-(C_{1-2} alkyl)-O-, 1H-benzo[d]imidazol-2(3H)-onyl or –NR'R".

19. (Previously presented) A composition according to claim 2 wherein the benzodiazepine derivative of formula (V) is a benzodiazepine derivative of formula



(Va):

wherein:

R^1 is phenyl or methyl;

R^3 is methyl or chlorine;

n is 0 or 1;

R^4 is hydrogen or methyl;

R^5 is phenyl-CH_2-, furanyl-CH_2-, thienyl-C(O)-C(O)- or -XR^6;

X is -CO- or -$S(O)_2$-; and

R^6 is C_{1-4} alkyl, C_{1-4} alkoxy, phenyl, naphthyl, dihydrobenzofuranyl, benzodioxinyl, 9H-fluoren-9-onyl, indolyl, thienyl, furanyl, oxazolyl, isoxazolyl, pyrazolyl, pyridyl, benzothienyl, benzofuranyl, cyclopentyl, cyclohexyl, piperazinyl, piperidinyl, morpholinyl, phenyl-(C_{1-2} alkyl)-, phenyl-CH_2-CH(OH)-phenyl-CH(OH)-CH_2-, phenyl-(C_{1-2} alkyl)-O-, lH-benzo[d]imidazol-2(3H)-onyl or -NR'R" wherein each R' and R" is the same or different and represents hydrogen, C_{1-4} alkyl, phenyl, thienyl, cyclohexyl, cyclopentyl or phenyl-(CH_2)-, the phenyl moiety in the group R^1 being unsubstituted or substituted by a single fluorine, chlorine, C_{1-2} alkyl, C_{1-2} alkoxy, C_{1-2} alkylthio, C_{1-2} haloalkyl or C_{1-2} haloalkoxy substituent;

the aryl moieties in the groups R^5 and R^6 being unsubstituted or substituted by 1, 2 or 3 substituents selected from fluorine, chlorine, bromine, iodine, C_{1-4} alkyl, C_{2-4} acyl, hydroxy, C_{1-4} alkoxy, C_{1-4} alkylthio, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, amino, mono(C_{1-4} alkyl)amino, di(C_{1-4} alkyl)amino, nitro, -CO_2R', -$S(O)_2$R' and -$S(O)_2NH_2$, wherein R' represents C_{1-2} alkyl;

the heteroaryl moieties in the groups R^5 and R^6 being unsubstituted or substituted by 1 or 2 substituents selected from fluorine, chlorine, bromine, C_{1-2} alkyl, C_{1-2} haloalkyl and di(C_{1-2} alkyl)amino; and

the heterocyclyl and carbocyclyl moieties in the R^6 group being unsubstituted or substituted by 1 or 2 substituents selected from fluorine, chlorine, bromine, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl and nitro.

20. (Original) A composition according to claim 1, wherein the benzodiazepine derivative of formula (V) is:

Cyclohexanecarboxylic acid 2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-amide;

3-Methoxy N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1 ,4]diazepin-3-yl)-benzamide;

4-Methoxy N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

2-Methoxy N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

N-(2-Oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-3-trifluoromethyl-benzamide;

N-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

Thiophene-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-3-amide;

Furan-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-amide;

Piperidine-1-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-amide;

Morpholine-4-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4] diazepin-3 -yl)-amide;

4-Nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

3-Nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

4-Methyl-piperazine-l-carboxylic acid-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-amide;

3,4-Dichloro-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-2-trifluoromethyl-benzamide;

4-Bromo-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

2-Methyl-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

2-Chloro-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

2-Nitro-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

2-Methoxy-4-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

(S)-2-Methoxy-4-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-benzamide

Benzo[b]thiophene-3-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-l H-benzo[e] [1,4]diazepin-3-yl)-amide;

2,3-Dihydro-benzofuran-5-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][l,4]diazepin-3-yl)-amide;

Isoxazole-5-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4] diazepin-3-yl)-amide;

Benzo[b]thiophene-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

Thiophen-3-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-amide;

N-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-isonicotinamide;

N-(2-Oxo-5 -phenyl-2,3-dihydro-1 H-benzo [e][1,4] diazepin-3-yl)-nicotinamide;

N-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-methanesulfonamide;

Propane-1-sulfonic acid-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-amide;

Butane-l-sulfonic acid-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-amide;

2-Bromo-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzenesulfonamide;

3-Bromo-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzenesulfonamide;

4-Bromo-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzenesulfonamide;

2-Fluoro-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzenesulfonamide;

3-(2-Nitro-benzylamino)-5-phenyl-1,3-dihydro-benzo[e][1,4]diazepin-2-one;

3-(3-Nitro-benzylamino)-5-phenyl-l,3-dihydro-benzo[e][l,4]diazepin-2-one;

3-(4-Nitro-benzylamino)-5-phenyl-1,3-dihydro-benzo[e][1,4]diazepin-2-one;

3-(2-Methoxy-benzylamino)-5-phenyl-1,3-dihydro-benzo[e][1,4]diazepin-2-one;

3-(3-Methoxy-benzylamino)-5-phenyl-l,3-dihydro-benzo[e][l,4]diazepin-2-one;

5-Phenyl-3-(2-trifluoromethyl-benzylamino)-l,3-dihydro-benzo[e][l,4]diazepin-2-one;

5-Phenyl-3-(3-trifluoromethyl-benzylamino)-1,3-dihydro-benzo[e][1,4]diazepin-2-one;

5-Phenyl-3-(4-trifluoromethyl-benzylamino)-1,3-dihydro-benzo[e][l,4]diazepin-2-one;

3-[(Furan-2-ylmethyl)-amino]-5-phenyl-l,3-dihydro-benzo[e][l,4]diazepin-2-one;

N-(7-Chloro-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-acetamide;

N-(7-Chloro-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-isobutyramide;

N-(7-Chloro-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-methanesulfonamide;

Furan-2-carboxylic acid (7-chloro-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4] diazepin-3-yl)-amide;

Thiophene-2-carboxylic acid (7-chloro-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e] [1,4]diazepin-3-yl)-amide;

Cyclohexanecarboxylic acid (7-Chloro-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e] [1,4]diazepin-3-yl)-amide;

N-(7-Chloro-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-2-methoxy-benzamide;

N-(7-Chloro-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-4-methoxy-benzamide;

N-(7-Chloro-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-2-nitro-benzamide;

2-(2-Methoxy-phenyl)N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4] diazepin-3-yl)-acetamide;

2-(3-Methoxy-phenyl)N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4] diazepin-3-yl)-acetamide;

2-(4-Methoxy-phenyl)N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4] diazepin-3-yl)-acetamide;

2-(4-Nitro-phenyl)N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-acetamide;

2-(3-Nitro-phenyl)N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-acetamide;

N-(2-Oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-2-(2-trifluoromethyl-phenyl)-acetamide;

N-(2-Oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-2-(3-trifluoromethyl-phenyl)-acetamide;

N-(2-Oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-2-(4-trifluoromethyl-phenyl)-acetamide;

l-(2-Methoxy-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4] diazepin-3-yl)-urea;

l-(2-Nitro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-urea;

1-(2-Chloro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1 ,4]diazepin-3-yl)-urea;

1-(4-Chloro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl-urea;

1-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-3-p-tolyl-urea;

1-(2-Fluoro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][1,4]diazepin-3-yl)-urea;

1-(4-Fluoro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][1,4] diazepin-3-yl)-urea;

(S)-l-(2-Fluoro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4] diazepin-3-yl)-urea;

4-Methanesulfonyl-2-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e] [1,4]diazepin-3-yl)-benzamide;

(S)-4-Methanesulfonyl-2-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

5-Acetyl-2-ethoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

(S)-5-Acetyl-2-ethoxy-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4] diazepin-3-yl)-benzamide;

6-Fluoro-4H-benzo[l,3]dioxine-8-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][1,4]diazepin-3-yl)-amide;

(S)-6-Fluoro-4H-benzo[l,3]dioxine-8-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

(S)-2-Methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-4-trifluoromethyl-benzamide;

2,4,5-Trifluoro-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

(S)-2,4,5-Trifluoro-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

2-Hydroxy-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

(S)-2-Hydroxy-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

1H-Indole-7-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4] diazepin-3-yl)-amide;

(S)-1H-Indole-7-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][1,4]diazepin-3-yl)-amide;

3-Methoxy-naphthalene-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-amide;

(S)-3-Methoxy-naphthalene-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-amide;

N-[7-Chloro-5-(2-fluoro-phenyl)-2-oxo-2,3-dihydro-lH-benzo[e][l,4]diazepine-3-yl]-4-methoxoy-benzamide;

1-(2-Fluoro-benzyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1 ,4]diazepin-3-yl)-urea;

1-(4-Methoxy-benzyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][1,4] diazepin-3-yl)-urea;

1-(3-Methyl-benzyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][1,4]diazepin-3-yl)-urea;

l-(2-Oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-3-(4-trifluoromethyl-phenyl)-urea;

4-Chloro-2-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

4-Methoxy-3-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)benzamide;

3-Methoxy-2-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

5-Chloro-2-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)benzamide;

5-Fluoro-2-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

2-Methoxy-4-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

5-Methoxy-2-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

3-Methoxy-4-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

3-(2-Methoxy-phenyl)-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1 ,4]diazepin-3-yl)propionamide;

3-(3-Methoxy-phenyl)-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-propionamide;

3-(4-Methoxy-phenyl)-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-propionamide;

N-[5-(3-Chloro-phenyl)-2-oxo-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl]-2-methoxy-benzamide;

N-[5-(3-Chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl]-4-methoxy-benzamide;

N-[5-(3-Chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl]-2-nitro-benzamide;

N-[5-(3-Chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl]-4-nitro-benzamide;

4-Methoxy-N-[2-oxo-5-(4-trifluoromethyl-phenyl)-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl]-benzamide;

2-Methoxy-N-[2-oxo-5-(3-trifluoromethyl-phenyl)-2,3-dihydro-lH-benzo[e][1,4]diazepin-3-yl]-benzamide;

4-Methoxy-N-[2-oxo-5-(3-trifluoromethyl-phenyl)-2,3-dihydro-lH-benzo[e][1,4]diazepin-3-yl]-benzamide;

2-Ethoxy-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][1,4]diazepin-3-yl)-benzamide;

2,4-Dimethoxy-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

2-Bromo-5-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

2-Methoxy-N-[5-(3-mehtoxy-phenyl)-2-oxo-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl]-benzamide

N-[5-(3-Methoxy-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1 ,4]diazepin-3-yl]-4-nitro-benzamide;

2-Methoxy-N-(8-methyl-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

2-Chloro-4-methanesulfonyl-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

2-Dimethylamino-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-carbamic acid benzyl ester;

l-(3,5-Dimethyl-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4] diazepin-3-yl)-urea;

l-(2-Oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-3-(4-trifluoromethoxy-phenyl)-urea;

1-(4-Bromo-2-trifluoromethyl-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][l,4]diazepin-3-yl)-urea;

l-(4-Bromo-benzyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-urea;

l-(2,3-Dichloro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3 -yl)-urea;

1-(2,6-Dimethyl-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][1,4]diazepin-3-yl)-urea;

l-(2-Chloro-6-methyl-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][1,4]diazepin-3-yl)-urea;

1-(4-Nitro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

l-(2-Methylsulfanyl-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-urea;

l-(2,6-Dichloro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4] diazepin-3-yl)-urea;

5-tert-Butyl-2-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

2,5-Dimethoxy-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

1 -(2,6-Difluoro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-urea;

l-(3-Fluoro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-urea;

l-(3-Methoxy-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4] diazepin-3-yl)-urea;

l-(2-Oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-3-(3-trifluoromethyl-phenyl)-urea;

l-(3-Chloro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e]1,4]diazepin-S-yl)-urea;

2-Methoxy-4-methylsulfanyl-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

4-Methanesulfonyl-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

N-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1 ,4]diazepin-3-yl)terephthalamic acid methyl ester;

2-Fluoro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

2,6-Difluoro-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide;

N-(2-Oxo-5-phenyl-2, 3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-2-propoxy-benzamide;

2-Iodo-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1 ,4]diazepin-3-yl)-benzamide;

3-Methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-terephthalamic acid methyl ester;

4-Amino-5-chloro-2-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e] [1,4]diazepin-3-yl)-benzamide;

l-(2-Oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-3-m-tolyl-urea;

2-Methylsulfanyl-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

2-Methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-5-sulfamoyl-benzamide;

2-Hydroxy-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-3-phenyl-propionamide

3-Hydroxy-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-3-phenyl-propionamide;

3-(2-Fluoro-phenyl)-l-methyl-1-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

2-Methoxy-N-methyl-4-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

1-tert-Butyl-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-urea;

1-Cycloheyl-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-Ethyl-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-Butyl-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

4,5-Dimethyl-furan-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][1,4]diazepin-3-yl)amide;

Piperidine-1-carboxylic acid (7-chloro-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][1,4]diazepin-3-yl)-amide;

N-[5-(3-Chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)acetamide;

N-[5-(3-Chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl]-isobutyramide;

Furan-2-carboxylic acid [5-(3-chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][l,4]diazepin-3-yl]-amide;

Thiophene-2-carboxylic acid [5-(3-chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl]-amide;

Cyclohexanecarboxylic acid [5-(3chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl]-amide;

Piperidine-1-carboxylic acid [5-(3-chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl]-amide;

N-[5-(3-Chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl]isonicotinamide;

5-Methyl-furan-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e] [1,4] diazepin-3-yl)-amide;

Pyrazine-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4] diazepin-3-yl)-amide;

N-[5-(3-Methoxy-phenyl)-2-oxo-5-phenyl2,3-dihydro-lH-benzo[e][1,4]diazepin-3-yl]-isobutyramide;

Thiophene-2-carboxylic acid [5-(3-methoxy-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl] -amide;

Cyclohexanecarboxylic acid [5-(3-methoxy-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][l,4]diazepin-3-yl]-amide;

Piperidine-1-carboxylic acid [5-(3-methoxy-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-amide;

Piperidine-4-carboxylic acid [5-(3-methoxy-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1 H-benzo[e][l,4]diazepin-3-yl]-amide;

Cyclohexanecarboxylic acid (8-chloro-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e] [l,4]diazepin-3-yl)-amide;

Thiophene-2-carboxylic acid (8-methyl-2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-amide;

l-(2-Oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-3-thiophene-2-yl-urea;

1-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-3-thiophene-3-yl-urea;

Pyridine-2 -carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l ,4] diazepin-3-yl)-amide;

1H-Pyrazole-4-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-l H-benzo[e] [1 ,4] diazepin-3-yl)-amide;

6-Dimethylamino-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-nicotinamide;

2-Ethoxy-naphthalene-l -carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-amide;

9-Oxo-9H-fluorene-l -carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e] [1,4]diazepin-3-yl)-amide;

2-Oxo-2,3-dihydro-benzoimidazole-l -carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][l,4]diazepin-3-yl)-amide;

(2-Oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)carbamic acid tert-butyl ester;

(S)-4,5-Dibromo-furan-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][1 ,4]diazepin-3-yl)-amide;

(S)-Benzofuran-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e] [1 ,4]diazepin-3-yl)-amide;

(2-Oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-carbamic acid methyl ester;

(2-Oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l ,4]diazepin-3-yl)-carbamic acid ethyl ester;

(2-Oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-carbamic acid isobutyl ester; and

2-Oxo-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1 ,4]diazepin-3-yl)-2-thiophene-2-yl-acetamide.

21. (Previously presented) A composition according to claim 2, wherein the benzodiazepine derivative of formula (V) is l-(2-fluoro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-urea, 2-methoxy-4-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4]diazepin-3-yl)-benzamide or 4-methanesulfonyl-2-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1 ,4]diazepin-3 -yl)-benzamide.

22. (Original) A composition according to claim 21, wherein the benzodiazepine derivative of formula (V) is l-(2-fluoro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-lH-benzo[e][l,4] diazepin-3-yl)-urea.

23. (Previouslypresented) A composition according to claim 1, wherein component (a) is a compound of formula (I), or a pharmaceutically acceptable salt thereof,



(I)

wherein:

X is a direct link or C_{1-6} alkyl; said C_{1-6} alkyl being optionally substituted with halogen, oxo, cyano, hydroxyl, $OCOR_4$ or $S(O)_n$-C_{1-6} alkyl;

Y is R_4, NR_4R_5, $NCOR_4$, =N-OR_4, -$CONHR_4$, $COOR_4$, -OR_4, aryl, heteroaryl, cyclyl or heterocyclyl, where R_4 and R_5 are H or C_{1-6} alkyl;

Z is CR_6R', where R_6 and R' are independently H, or straight, branched or cyclic C_{1-6} alkyl;

n is 1-2;

R_1 is H, $CONR_4R_5$, CO_2R_4 or C_{1-6} alkyl, said C_{1-6} alkyl can be optionally substituted with OR_4 or NR_8R_9;

R_8 and R_9 are each independently H, C_{1-6} alkyl, SO_2R_5, CO_2R_4 or COR_4;

R_2 is selected from the group consisting of H, NH_2, $CONR_6R'$, heteroaryl, C_{2-6} alkenyl, CO_2R_4, $N=CPh_2$, $C(=NH)NH_2$ and C_{1-6} alkyl; said alkyl optionally substituted with a member selected from the group consisting of halogen, CN, $NR_{10}R_{11}$, OSO_2R_4 and OR_4;

R_{10} and R_{11} are each independently selected from the group consisting of H, C_{1-6} alkyl, C_{3-6} cycloalkyl, CO_2R_4, COR_4 and SO_2R_4;

R_3 is selected from the group consisting of (1) CO_2R_9; (2) C_{1-6} alkyl optionally substituted with CN, OR_4 or NR_6R'; (3) H; and (4) C_{2-6} alkenyl substituted with CN;

Q is a member selected from the group consisting of



A is C or N, optionally substituted with H, halogen, C_{1-6} alkyl, C_{2-6} alkenyl, cyano-C_{1-6} alkyl, CO_2R_4, aryl, benzoaminocarbonyl, hydroxybenzyl, $SO_2NR_4R_5$ or C_{3-6} cycloalkyl. Where A is carbon, it may also be optionally substituted by O or S via a double bond;

B is C or N; where B is C it may be optionally substituted by H, C_{1-6} alkyl, NO_2, CN, halogen, COR_4, $COOR_4$, $CONHR_4C(=NH)NH_2$ or $C(=N0H)NH_2$.

24. (Previously presented) A composition according to claim 23, wherein at least two of R_1, R_2 and R_3 are hydrogen, and the other is hydrogen or -$C(NH)$-NH_2 and/or either -X-Y is H, or X

is a C_1-C_6 alkylene group which is unsubstituted or substituted by a hydroxy group and Y is H, OH, CN, -NR'R", -COR', -SO_2R' or phenyl, wherein R' and R" are the same or different and represent a C_1-C_4 alkyl group and/or Z is -CH_2- and/or Q is a moiety



wherein B is -CH- or -N-, A_1 is -C(O)- or -NH- and A_2 is -CH_2-, -CHR'- or –NR"-, wherein R' is a halogen atom and R" represents a hydrogen atom or a C_{1-4} alkyl, C_{2-4} alkenyl, C_{3-6} cycloalkyl, -SO_2-(C_{1-6} alkyl), -SO_2-N(C_{1-6} alkyl)$_2$ or -(CO-NH)$_a$-(C_{1-4} alkyl)-phenyl group, wherein a is 0 or 1, which group is unsubstituted or is substituted with a hydroxy or cyano substituent.

25. (Withdrawn) A composition according to claim 1, wherein component (a) is a compound of the formula (II), or a pharmaceutically acceptable salt thereof



(II)

wherein:

L_1 is -CH_2- or -CHR_2-CO-

each X is the same or different and is CH or N;

each R_1 is the same or different and is C_{1-6} alkyl, halogen, hydroxy, phenyl or $(CH_2)_m$=NH_2;

n is 1 or 2;

R2 is C_{1-6} alkoxy or C_{1-6} alkoxy-phenyl;

R3 is C_{1-6} alkyl;

L2 is -CH_2- or -NH-;

Y is C_{1-6} alkyl or C_{1-6} alkenyl;

Z is H, N(R_4)2-, -C(=O)-R_5, -C(=CH_2)-R_5, -CH(OH)-R_5, -CH(CH_3)-R_5, -CH(OCH_3)- R_5;

each R_4 is the same or different and is H, C1-6 alkyl.

R_5 is C_{1-6}alkyl-carbonyl, amino, hydroxyl, aryl, heteroaryl, carbocyclyl, heterocyclyl; and

m = 1-6

26. (Previously presented) A composition according to claim 1, wherein component (a) is:

l-Cyclopropyl-3-[1-(4-hydroxy-butyl)-lH-benzoimidazol-2-ylmethyl]-l,3-dihydro-imidazo[4, 5-c]pyridin-2-one

{2-[2-(l,2-Dihydro-benzotriazol-l-ylmethyl)-benzoimidazol-l-yl]]ethyl}-diethyl-amine

{2-[2-(3-Iodo-2,3-dihydro-indazol-l-ylmethyl)-benzimidazol-1-yl]-ethyl}-dimethyl-amine

1-Isopropenyl-3-[1-(3-methyl-butyl)-1H-benzoimidazol-2-ylmethyl]-l,3-dihydro-benzoimidazol-2-one

1-(4-Hydroxy-benzyl)-3-[1-(3-methyl-butyl)-lH-benzoimidazol-2-ylmethyl]-1,3-dihydro-benzoimidazol-2-one

l-Isopropenyl-3-[l-(3-oxo-butyl)-lH-benzoimidazol-2-ylmethyl]-l,3-dihydro-benzoimidazol-2-one

l-Ethyl-3-[l-(2-hydroxy-2-phenyl-ethyl)-lH-benzoimidazol-2-ylmethyl]-l,3-dihydro-benzoimidazol-2-one

l-Ethyl-3-[l-(4-hydroxy-butyl)-lH-benzoimidazol-2-ylmethyl]-l,3-dihydro-benzoimidazol-2-one

7-[2-(3-Isopropenyl-2-oxo-2,3-dihydrobenzoimidazol-l-ylmethyl)-benzoimidazol-l-yl]-heptanenitril

5-{3-[l-(3-Methanesulfonyl-propyl)-lH-benzoimidazol-2-ylmethyl]-2-oxo-2,3-dihydro-benzoimidazol-1-yl}-pentanenitrile

3-[l-(3-Methyl-buty)-lH-benzoimidazol-2-ylmethyl]-2-oxo-2,3-dihydro-benzoimidazol-1-carboxylic acid benzylamide

1-Methanesulfonyl-3-[1 -(3-methyl-butyl)-1H-benzoimidazol-2-ylmethyl]-1,3-dihydro-benzoimidazol-2-one

3-[1-(3-Methyl-butyl)-1H-benzoimidazol-2-ylmethyl]-2-oxo-2,3-dihydro-benzoimidazol-1 -sulfonic acid dimethylamide

l-Isopropenyl-3-(l-propyl-lH-benzoimidazol-2-ylmethyl)-l,3-dihydro-imidazo[4,5-c]pyridine-2-one

Bis(5-amidino-2-benzimidazolyl)-methane

2-{2-[1-[1-(2-Amino-ethyl)-piperidin-4-ylamino]-4-methyl-benzoimidazol-1-ylmethyl}-6-methyl-pyridin-3-ol

or a pharmaceutically acceptable salt thereof.

27. (Previously presented) A composition according to claim 1, wherein component (a) is 1-cyclopropyl-3-[1-(4-hydroxy-butyl)-1H-benzoimidazol-2-ylmethyl]-1 ,3-dihydro-imidazo[4,5-c]pyridin-2-one, {2-[2-(1 ,2-dihydro-benzotriazol-1-ylmethyl)-benzoimidazol-1-yl]] ethyl}-diethyl-amine, {2-[2-(3-iodo-2,3-dihydro-indazol-l-ylmethyl)-benzimidazol-l-yl]-ethyl}-dimethyl-amine or a pharmaceutically acceptable salt thereof.

28. (Previously presented) A composition according to claim 1, wherein component (a) is 1-cyclopropyl-3-[1-(4-hydroxy-butyl)-1H-benzoimidazol-2-ylmethyl]-1,3-dihydro-imidazo[4,5-c]pyridin-2-one or l-Isopropenyl-3-(l-propyl-lH-benzoimidazol-2-ylmethyl)-1,3-dihydro-imidazo[4,5-c]pyridine-2-one or a pharmaceutically acceptable salt thereof.

29. (Previously presented) A composition according to claim 1, wherein component (a) is present in an amount of from 0.025 wt% to 10 wt%.

30. (Previously presented) A composition according to claim 1, wherein component (b) is present in an amount of 0.025 wt% to 10 wt%.

31. (Previously presented) A composition according to claim 1, for use in the treatment of the human or animal body.

32. (Previously presented) The use of:

(a) an RSV fusion protein inhibitor as defined in claim 1; and

(b) a benzodiazepine derivative defined in claim 1, in the manufacture of a medicament for use in treating or preventing an RSV infection.

33. (Previously presented) The use according to claim 32, wherein component (a) is present in an amount of from 0.025 wt% to 10 wt% and component (b) is present in an amount of 0.025 wt% to 10 wt%.

34. (Previously presented) A product comprising:

(a) an RSV fusion protein inhibitor as defined in claim 1; and

(b) a benzodiazepine derivative as defined claim 1;

for separate, simultaneous or sequential use in the treatment of the human or animal body.

35. (Currently amended) A product according to claim 34 for separate, simultaneous or sequential use in treating ~~or preventing~~ an RSV infection.

36. (Previously presented) A method of treating or preventing an RSV infection in a patient, which method comprises the administration to said patient of:

(a) an RSV fusion protein inhibitor as defined in claim 1; and

(b) a benzodiazepine derivative as defined in claim 1.

37. (Previously presented) The use of an RSV fusion protein inhibitor as defined in claim 1, in the manufacture of a medicament for use in treating or preventing an RSV infection, by co-administration with a benzodiazepine derivative as defined in claim 1.

38. (Previously presented) The use of a benzodiazepine derivative as defined in claim 1, in the manufacture of a medicament for use in treating or preventing an RSV infection, by co-administration with an RSV fusion protein inhibitor as defined in claim 1.